## **Code Inspections, Inc. Child Care Application**

filled out. All other areas of application pertaining to the project shall also be filled out. CONSTRUCTION PERMIT APPLICATION

Note: Read page four (4) in its entirety prior to completing this application

County:				Munic	<mark>cipality:</mark>				
Application Date: Appro									
LOCATION	OF PROP	OSED	WORK OR	IMPROVEME	NT				
Site Address	S:					Tax Parcel #	<u> </u>		
Lot #	Subdi	vision/La	and Develop	oment:		Phase	e:	Section	on:
Check all that apply  Describe the p	New Build Foundation	on Only	Addition Change of U	Alteratior Jse Plumbing	, Mechanical	Demolition Electrical	Relocation Pool	Deck Porch	Other
Owner:					Phone#			 _ Fax#	
Contractor	Information	on Ap	•	nail:		Address			Phone #
Applicant									
Design Profe	essional								
Principal Co									
Excavation	THE COLOT								
Masonry									
Concrete									
Carpentry									
Plumbing									
Sewer									
Electrical									
Mechanical									
Roofing									
Drywall or La	athing								
Sprinkler									
Paving									
Fire Alarm									
TOTAL EST	IMATED (	COST C	F CONSTR	(reas	onable fair market		ees are not ba	sed on cons	truction costs
DESCRIPTION	ON OF BU	JILDING	USE (Chec	k One)					
RESIDENTIA	<u>L</u> □ One-l	amily D	welling		☐ Two-Fam	ily Dwelling			
NON-RESIDE	NTIAI								
					Change in U	se:	YES	□NO	
Specific Use:Use Group:				If YES, indicate Former:					
Maximum Occupancy Load:				Maximum Liv					
waxiiiuiii OC	cupaticy LO	·au		_					

Building Section Number of Re					WORK	-	tract Va Existin			\$	Proposed
	_		☐ Maso				-	☐ Manufactured Dwelling			
. , , , , , , , , , , , , , , , , , , ,		•			ain:						
Does or will your	building co					'''					<del></del>
Elevator/Escalators/Lifts	: □Y				Pressu	re Vesse	ls:	☐ YES		NO	
Sprinkler System:			☐ YES ☐ NO			Refrige	ration Sy	/stems	☐ YES		NO
	ımber		Тур	e Fuel		Type Vent				_	
Bed Rooms (num	ber)		Stories (number)			Street Frontage (fee			et)		
Full Baths (number				ng Area (		Front Setback (feet)					
Partial Baths (nun				Area (sq		Rear Setback (feet)					
Garages (number			•	ment Ares		Left Setback (feet)					
Garage Area (sq/f				/Sales (se		Right Setback (feet)					
Outside Parking (				ce (sq/ft)	1 /		Height Above Grade (				
Plumbing Section									ad ar inatallad	\$	
Tub/Showers	Enter the		and Siz		ires Beir	ig Rep	aired, i	•	ed or installed		
Shower Stalls			washer			Sewage Ejectors					
Lavatories						Back Flow Preventers		5			
Toilets				9 1				Water Pumps Water Service			
Urinals			r Softe						Connection		
Sinks		Othe		11013				Jewei	Connection		
Sewer Service: (Check)       □ Public       □ Private (Septic Permit #)											
Forced Air Furnac			Space I		1	Domig	rtopiae		Compressor		
Solid fuel Applian	Ų	Unit He	ater					A/C Unit			
Heat Pump		E	Boiler			Coil Unit					
Air Handling Unit		(	Gravity Furnace			Gas/Oil Conversion			า		
Electric Furnace		I	Incinerator			Air Cleaner					
Other:											
Fuel Type: ☐ Gas ☐ Oil ☐ L.P. ☐ Electric ☐ Coal ☐ Wood ☐ Other							Other				
Electrical Section: ESTIMATED COST OF ELECTRICAL WORK (Contract value)  Service Amps  Number of Circuits  Number of Service Outlets: 110V							V 220V				
Service Amps		Number of	Circuits	·		IN	umberd	oi Servic	e Outlets	110	V22UV
List Devices	Qty I	.oad/Output	t List	Devices	Qty		Load/Ou	ıtput	List Devices	Qty	Load/Outp ut
Switches			Dish	washer							u.
Receptacles			Was	her							
Circuit Panel			Drye	r							
Lights				Hot Tub							
Smoke Detectors			A/C	Unit							
Fire Protection Section: ESTIMATED COST OF FIRE PROTECTION WORK (Contract Value) \$  Enter the number and size of equipment being replaced or installed											
Sprinkler System		Hood Suppression S						e Alarm Syste	m		
Stand Pipe		Fire Hydrants					Sr	Smoke Control System			
Suppression Sy		Fire Pumps					Fir	Fire Detection System			
Other:	1						1				1

			3			
FLOODPLAIN						
Is the site located within an identified flood hazard area?	☐ YES	□ NO				
Will any portion of the flood hazard area be developed? Owner/Agent shall verify that any proposed construction and/or developed. National Flood Insurance Program and the Pennsylvania Flood Plain						
Lowest Floor Level:						
HISTORIC DISTRICT:						
Is the site located within a Historic District?	☐ YES	□NO				
If construction is proposed within a Historic District, a certific	ate of appropriater	ess may be required by the Municipality.				
The applicant certifies that all information on this application is correct and the work will be completed in accordance with the approved construction documents and PA Act 45 (Uniform Construction Code) and any additional approved building code requirements adopted by the Municipality. The property owner and applicant assumes the responsibility of locating all property lines, setback lines, easements, right-of way, flood areas, etc. Issuance of a permit and approval of construction documents shall not be construed as authority to violate, cancel or set aside any provisions of the codes or ordinances of the Municipality or any other governing body. The applicant certifies he/she understands all the applicable codes, ordinances and regulations. Application for a permit shall be made by the owner or lessee of the building or structure, or agent of either, or by the registered design professional employed in connection with the proposed work. NOTE: Per Sections 403.43(g) and 403.63(g) A permit becomes invalid unless the authorized construction work begins within 180 days after the permit's issuance or if the authorized construction work permit is suspended or abandoned for 180 days after the work has commenced. A permit holder may submit a written request for an extension of time to commence construction for just cause. The building code official may grant extensions of time to commence construction in writing. A permit may be valid for no more than 5 years from its issue date.						
Certificate of Occupancy.						

- § 403.46(a) A building, structure or facility may not be used or occupied without a certificate of occupancy issued by a building code official.
- § 403.46(d) A building code official may suspend or revoke a certificate of occupancy when the certificate was issued in error, on the basis of incorrect information supplied by the permit applicant or in violation of the Uniform Construction Code. Before a certificate of occupancy is revoked, a building owner may request a hearing before the board of appeals under § 403.122 (relating to appeals, variances and extensions of time).

I certify that the code administrator or the code administrator's authorized representative shall have the authority to enter areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit. By checking the box by the SIGNATURE BLOCK below I certify I am the owner or authorized agent of the project for which this application is filed and I certify that all information provided on this application is correct and true to the best of my knowledge.

Signature of Owner or Authorized Agent - Printed name will be accepted if box is checked	(Print Name of Owner or Authorized Agent)
Address	Date
(DIRECTIONS TO SITE:	

### (FOR ADMINISTRATIVE USE ONLY

ADDITIONAL PERMITS/APPROVALS REQUIRED							
STREET CUT/DRIVEWAY	APPROVED	YES	NO	BY:	DATE:		
CUT AND FILL	APPROVED	YES	NO	BY:	DATE:		
PENNDOT HIGHWAY OCCUPANCY	APPROVED	YES	NO	BY:	DATE:		
DEP FLOODWAY OR FLOODPPLAIN	APPROVED	YES	NO	BY:	DATE:		
SEWER CONNECTION	APPROVED	YES	NO	BY:	DATE:		
ON-LOT SEPTIC	APPROVED	YES	NO	BY:	DATE:		
ZONING	APPROVED	YES	NO	BY:	DATE:		
HARB	APPROVED	YES	NO	BY:	DATE:		
OTHER	APPROVED	YES	NO	BY:	DATE:		
APPROVALS BUILDING PERMIT DENIED DATE: BUILDING PERMIT APPROVED DATE: CODE ADMINISTRATOR:			DATE	RETURNED:			
BUILDING PERMIT FEE: \$				FLOODPLAIN PERMIT FEE: ZONING PERMIT FEE COG FEE: ADMINISTRATIVE FEE STATE FEE	\$		
TOTAL SQUARE FOOTAGE USED FOR FEE:			TOTAL OF ALL PERMIT FEES \$				

The following sections located on page one must be completed in full:

- 1. County and Municipality
- 2. Location of proposed work or improvement, most importantly, site location, tax parcel number and lot number.
- 3. Type of improvement including a brief description of work.
- 4. Owner information with complete mailing address.
- 5. Estimated cost of construction is required to be provided.

The contractor section is required to be completed only when work is performed within Municipalities that require contractor registration. However, Code Inspections, Inc. requests a minimum of the primary contractor information to be provided in case correspondence or contact is necessary.

Page two needs to be completed for only the sections that apply to the proposed project, or work to be performed.

Page three needs to be completed for Floodplain information, and a signature by the property owner, or agent of the owner must be provided on page three. The bottom of page three is intended for administrative use and will be completed by Code Inspections, Inc. during the application review.

#### PLANS AND SUBMITTALS

- The submittal shall include One (1) set of PDF plans for all projects. These shall be submitted along with any paper plans you may be requested to submit and specifications sufficient to indicate the scope of work being proposed. Listed below are some basic examples of information necessary to complete a plan review. Additional information may be requested depending on the intended project.
- Project design shall conform to the most current code edition of the International Residential Code.
- Drawings shall specify all site information such as address, lot number, TMP number, owner name and type of work proposed. This information shall be reflected on all pages
- Drawings shall include floor plan showing new construction in comparison to existing, room labels or use of rooms, bearing locations, window and door sizes, header sizes and all other pertinent information.
- Footing details and specifications shall be provided for all locations. Detail should include a footprint or outline of the scope of work as well as specifying pier or continuous footings where applicable.
- · Pre-cast concrete panels and all other pre-manufactured products shall have manufactures engineered designs and specs.
- . Insulation and thermal values shall be indicated for walls, ceiling, floors, basement walls and slab perimeter.
- Indicate electrical components including locations and sizes.

#### **SWIMMING POOLS**

- Provide swimming pools construction specifications.
- Swimming pool enclosures and barriers shall be shown and include fence, gate and gate device details.

## COMMERCIAL PERMIT APPLICATION AND SUBMITTAL REQUIREMENTS

The Application shall be completed as explained in the Residential information listed above.

#### PLANS AND SUBMITTALS

The submittal shall include One (1) set of PDF plans for all projects. These shall be submitted along with any paper plans you may be requested to submit and bear the signature and seal of a licensed Design Professional. Plans and specifications shall, at a minimum, be required to contain the information specified within the sections listed below.

§403.2a(b) A permit applicant shall submit an application to the building code official and attach construction documents, including plans and specifications, and information concerning special inspection and structural observation programs, Department of Transportation highway access permits and other data required by the building code official with the permit applications. The applicant shall submit three sets of documents.

§ 403.42a (b) A permit applicant shall submit an application to the building code official and attach construction documents, including plans and specifications, and information concerning special inspection and structural observation programs, Department of Transportation highway access permits and other data required by the building code official with the permit application. The applicant shall submit three sets of documents

§ 403.42a(c) A licensed architect or licensed professional engineer shall prepare the construction documents under the Architects Licensure Law (63 P. S. §§ 34.1—34.22), or the Engineer, Land Surveyor and Geologist Registration Law (63 P. S. §§ 148—158.2). An unlicensed person may prepare design documents for the remodeling or alteration of a building if there is no compensation and the remodeling or alteration does not relate to additions to the building or changes to the building 's structure or means of egress.

§ 403.42 a (e) The permit applicant shall submit construction documents in a format approved by the building code official. Construction documents shall be clear, indicate the location, nature and extent of the work proposed, and show in detail that the work will conform to the Uniform Construction Code.

§ 403.42 (f) All of the following fire egress and occupancy requirements apply to construction documents:

§ 403.42 a (f) (1) The permit applicant shall submit construction documents that show in sufficient detail the location, construction,

size and character of all portions of the means of egress in compliance with the Uniform Construction Code.

§ 403.42 a(f) (2) The construction documents for occupancies other than Groups R-2 and R-3 shall contain designation of the number of occupants to be accommodated on every floor and in all rooms and spaces.

§ 403.42 a (f) (3) The permit applicant shall submit shop drawings for a fire protection system that indicates conformance with the Uniform Construction Code in accordance with the following:

§ 403.42 a (f) (i) The shop drawings shall be approved by the building code official before the start of the system installation.

§ 403.42 a (f) (ii) The shop drawings must contain the information required by the referenced installation standards contained in Chapter 9 of the "International Building Code."

§ 403.42a (g) Construction documents shall contain the following information related to the exterior wall envelope:

§ 403.42a (g) (1) Description of the exterior wall envelope indicating compliance with the Uniform Construction Code.

**§ 403.42a (g) (2) Flashing details.** 

§ 403.42a (g) (3) Details relating to intersections with dissimilar materials, corners, end details, control joints, intersections at roof, eaves, or parapets, means of drainage, water-resistive membrane and details around openings.

§ 403.42 a (h) Construction documents shall contain a site plan that is drawn to scale. The building code official may waive or modify the following site plan requirements if the permit application is for an alteration or repair or if waiver or modification is warranted. Site plan requirements include all of the following:

§ 403.42 a (h) (1) The size and location of new construction and existing structures on the site.

§ 403.42 a (h) (2) Accurate boundary lines.

§ 403.42 a (h) (3) Distances from lot lines.

§ 403.42 a (h) (4) The established street grades and the proposed finished grades.

§ 403.42 a (h) (5) If the construction involves demolition, the site plan shall indicate construction that is to be demolished and the size and location of existing structures and construction that will remain on the site or plot.

§ 403.42 a (h) (6) Location of parking spaces, accessible routes, public transportation stops and other required accessibility features.

§ 403.42 a (I) A building code official may waive or modify the submission of construction documents, that are not required to be prepared by a licensed architect or engineer, or other data if the nature of the work applied for does not require review of construction documents or other data to obtain compliance with the Uniform Construction Code. The building code official may not waive the submission of site plans that relate to accessibility requirements.

§ 403.42 a (m) An applicant for an annual permit under § 403.42(f) shall complete an application and provide information regarding the system that may be altered and the date that approval was previously provided for the approved electrical, gas, mechanical or plumbing installation.

§ 403.42 a (n) A permit applicant shall comply with the permit, certification or licensure requirements of the following laws applicable to the construction:

- § 403.42 a (n) (1) The Boiler and Unfired Pressure Vessel Law (35 P. S. §§ 1331.1—1331.19).
- § 403.42 a (n) (2) The Propane and Liquefied Petroleum Gas Act (35 P. S. §§ 1329.1—1329.19).
- § 403.42 a (n) (3) The Health Care Facilities Act.
- § 403.42 a (n) (4) The Older Adult Daily Living Centers Licensing Act (62 P. S. §§ 1511.1—1511.22).

Code Inspections, Inc. **A Full Service Agency Providing Professional Inspection Services** 

603 Horsham Road Horsham, PA 19044 Toll free:1-800-288-2633

Fax: 215-672-7642

Phone: 215-672-9400

Office Information

603 Horsham Rd, Horsham, Pa 19044 **Corporate office:** Monday thru Friday 7:30-4:00

Phone: 215-672-9400 Fax: 215-672-7642 Email: contact@codeinspections.net

**Athens Office:** 45 Herrick Avenue, Sayre, PA 18840 Tuesday 1:00-3:00

Phone: 570-928-9208 Mail:PO Box 308, 268 Overton Rd, Dushore, PA 18614 Email: ncpro@codeinspections.net

PO Box 308, 268 Overton Road, Dushore, PA 18614 Monday thru Friday 8:00-4:30 **Dushore Office:** 

Phone: 570-928-9208 Email: ncpro@codeinspections.net Fax: 570-928-9183

**East Troy Office:** 961 Gulf Rd Suite 102, Troy, PA 16947 Tuesday 12-2pm

Phone: 570-928-9208 Fax: 570-928-9183 Email: ncpro@codeinspections.net

**Linden Office:** Tuesday 9:30-11:30am 4910 Route 220, Linden, PA 17744

Phone: 570-321-1851 Fax: 570-321-1852 Email: ncpro@codeinspections.net

2104 Route 54, Montgomery, PA 17752 Monday thru Friday 9am-2:30pm **Montgomery Office:** 

Email: ncpro@codeinspections.net Phone: 570-547-0488 Fax: 570-547-0481

PO Box 308 Dushore, PA 18614 Milford Twp Monday 9:30-11am Dingman Twp Pike Co. Office:

Phone: 570-928-9208 Fax: 570-928-9183 Email: ncpro@codeinspections.net Wed & Fri 9:30-11am

Delaware Twp Tues & Thur 9:30-11am

PO Box 729, Wyalusing, PA 18853 Tuesday 8-10 am **Wyalusing Office:** 

Phone: 570-746-5013 Fax: 570-746-4953 Email: ncpro@codeinspections.net

For inspections on permits issued through corporate office please call 1-800-288-2633.

For all other offices please call 1-888-264-2633.

You will need the following information when scheduling an inspection, Code Inspections construction permit number, your name, type of inspection, phone number, county and municipality where your construction project is located. Thank you for your cooperation.

## **Child Day Care Facilities Policy Guidelines and Requirements**

Code Inspections Inc.

All the following information shall be given to Building Code Official for approval.

- A. Completed Code Inspections Inc Permit Application
- B. One (1) set of PDF plans shall be submitted on all projects. These shall be submitted along with any paper plans you may be requested to submit.
- C. Plans shall include all the applicable information listed below.

## **Definition:**

Child Day Care Facility- A dwelling unit where child day care services are provided for less than 24 hours for 4 to 12 children is an R-3 occupancy if the dwelling unit is used primarily as a private residence and the provision of day care services is accessory to the principal use of the dwelling unit as a residence.

# 1. A day care facility, which provides day care services to 4-6 children shall comply with all of the flowing:

- A. Have a smoke detector on each floor and in the basement. The smoke detector may be powered by a nonreplicable, UL listed lithium battery that is warranted for 10 years and should sound an alarm when activated that is audible to persons in the unit's indoor child care space with all intervening doors closed. Where this type of detector is utilized, the unit owner of the detector shall keep the proof and date of purchase of the detector in the unit's fire drill logs.
- B. Have a portable fire extinguisher rated for Class B Fires in the kitchen and other cooking areas.
- C. Meet the exiting requirements for a R-3 Occupancy and licensure under 55 Ps. Code Chapter 3290 (relating to family day care homes).
  - 1. Stairways, hallways, exits from rooms, exits from the facility and other means of egress serving as an exit shall be unobstructed.
  - 2. Protective gates and devices that can be opened easily are permitted, if they open easily and are not disapproved by building codes or local ordinances.
  - 3. If a door or doorway opens or exits directly into a stairwell and if there is no landing beyond the door or doorway, the door shall be resisted from opening or shall be removed and a secure barrier to prevent access to the stairwell shall be erected.

- 2. A Day care facility that is a R-3 Occupancy, which provides day care services to 7-12 children shall comply with all the following:
  - A. Have an interconnected smoke detector system.
  - B. Have a fire extinguisher rated for Class B Fires in the kitchen and other cooking areas.
  - C. Meet the exiting requirements for a R-3 Occupancy and licensure under 55 Pa. Code Chapter 3280 (relating to group child care homes).
    - 1. Stairways, hallways, exits from rooms, exits from the facility and other means of egress serving as an exit shall be unobstructed.
    - 2. Protective gates are permitted, if they open easily and are not disapproved by building codes or local ordinances.
    - 3. If a door or doorway opens or exits directly into a stairwell and if there is no landing beyond the door or doorway, the door shall be restricted from the opening or shall be removed and a secure barrier to prevent access to the stairwell shall be erected.
- 3. All other child day care facilities shall be classified under Chapter 2 of the "International Building Code". The facilities shall meet all Uniform Construction Code standards for these occupancy classifications.